NEW FROM TANSUN

TANSUN®

WORLD LEADERS IN RADIANT HEATING

HAVANA SERIES

HEATING SOPHISTICATION



MADE IN BRITAIN

ENERGY EFFICIENT ENERGY SMART ENERGY EFFICIENT

LEADING EDGE HEATING TECHNOLOGY

The Tansun Havana high powered heater offers superior heat performance together with a stylish sleek design. The heater combines a robust powder coated body together with a high grade stainless steel front offering a modern slim line appearance. The heater comes with remote control and has multiple variable heater settings to ensure you can find the right balance for whatever situation you need to deal with. Also the built-in timer function will allow you to set a pre-determined time for the heaters to be active in any domestic or commercial environment.

Havana comes in two versions:

- 2.4kW Full Short wave
- 2.0kW Fast Medium wave

The 2.4kW version is perfect for outdoor settings and the 2.0kW version is ideal for indoor/sheltered areas where a gentler form of heat may be desired.

PREMIUM HEATING AT ITS BEST

Unlike inferior alternatives on the market, the high powered Havana series lamp projects comfort heat across larger areas making this heater perfect for large seated areas. Projection arm brackets are also available as an optional extra for that extra projection of heat.

Ideal For: Large Hotel Terraces, Retractable Awnings, Restaurants and Bars, VIP Smoking areas, Louvered Roof Structures.



HEATING WITH COMPLETE CONTROLLABILITY



KEY FEATURES

- MODERN SLEEK DESIGN
- HIGH POWERED SHORT WAVE OR FAST MEDIUM WAVE TECHNOLOGY OPTIONS
- OPTIMISED REFLECTOR TECHNOLOGY FOR LARGER SPREAD OF HEAT
- WEATHERPROOF FOR OUTDOOR AREAS
- TEMPERATURE CONTROL AND TIMER FUNCTIONS
- PREMIUM ALUMINIUM POWDER COATED EXTRUSION
- HIGH GRADE STAINLESS STEEL FASCIA








2.0-2.4 kW | 4Kg | UP TO 18m² | GOLD REFLECTOR | IP

DIMENSIONS




Drawing shown with mounting bracket point out

TECHNICAL DATA FOR TWO HAVANA VERSIONS

Model	HAVS 020IP	HAVS 024IP
IR Wavelength	Fast Medium wave	Full Short wave
Voltage	230V ~ 50Hz	230V ~ 50Hz
Power	2.0kW	2.4kW
Current	8.7A	10.4A
Min. mounting height from floor	2.0m	2.0m
Min. distance from ceiling	0.3m	0.3m
Min. distance from side wall	1.0m	1.0m
Ingress Protection	IPx4	IPx4
Weight	4.0kg	4.0kg
Reflector	Silver	Gold
Ideal for	Indoor / Sheltered areas	Outdoor areas
Connection	UK or EU Schuko plug with cable	
Dimensions L x H x D	833mm X 89mm X 111mm	

HEAT COVERAGE

Wall mounted at 45 degrees



Coverage area = 18m2



Tansun Ltd,
Spectrum House,
Ridgacre Road,
West Bromwich,
West Midlands
B71 1BW

Tel: +44 (0)121 580 6200 Fax: +44 (0)121 580 6222
Website: www.tansun.com Email: sales@tansun.com

Copyright 2020 © Tansun Ltd. All rights reserved

Technical data and product subject to change without prior notice. Dimensions exclude brackets.

Tansun heaters are designed and manufactured for outdoor use. They can be used indoors but should be used in conjunction with suitable energy saving controllers. Please contact Tansun for controllers for these applications.
All data is an approximate guide only.